



Walk Draw Divider Curtain

Models: 4013



Operation and Maintenance Instructions Please read all instructions before attempting installation or operation of these units

SAVE THESE INSTRUCTIONS FOR FUTURE USE

Publication No. 7 0 1 7 5 1 1 8 6





Table of Contents

<u>Section</u>	Page No.
Introduction	2
Cautions and Warnings	3
Unit Operation	4
Maintenance	5





Introduction

Thank you for your purchase of a Model 4013 gymnasium divider curtain. To ensure that our equipment will provide years of use to you, we are including this operation and maintenance guide. This guide will provide information on the proper operating procedures and preventative maintenance of your divider curtain.

It is recommended that an individual who has been properly trained operate this gymnasium divider curtain. No one under the age of 18 should attempt to operate this unit unless properly supervised.

To prevent normal wear and tear from shortening the life of the unit, preventative maintenance inspections and repairs should be performed at least once per year. If the units are subject to high or unusual usage, inspections should be scheduled to occur more frequently. If items are found to be nonconforming, replacements can be ordered from Performance Sports Systems, Gared Sports or one of our authorized dealers. When contacting PSS or Gared Sports, please have information regarding the dealer/installer who sold the unit, the name of the project, and any applicable warranty information.





Read and understand the following warnings to prevent possible personal injury and potential damage to the equipment during assembly, setup, and operation.

WARNING

BEFORE OPERATING DIVIDER CURTAIN MAKE SURE THE AREA AROUND AND UNDER THE CURTAIN IS CLEAR OF OBSTRUCTIONS, EQUIPMENT, AND PEOPLE. MAKE CERTAIN NO PERSONS ARE NEAR THE CURTAIN DURING OPERATION. FAILURE TO FOLLOW THIS PROCEDURE COULD RESULT IN EQUIPMENT DAMAGE AND/OR SERIOUS PERSONAL INJURY

701955081

ONLY TRAINED AND AUTHORIZED PERSONNEL SHOULD OPERATE THIS EQUIPMENT. OPERATION BY UNTRAINED OR UNAUTHORIZED PERSONNEL MAY RESULT IN DAMAGE TO THE CURTAIN OR CURTAIN STRUCTURE AND/OR INJURY TO ANYONE NEAR THE CURTAIN.

ALWAYS MAKE SURE AREA AROUND AND BELOW THE CURTAIN IS CLEAR OF PERSONNEL AND OBSTACLES BEFORE OPERATING THE DEVICE.

NEVER STAND DIRECTLY UNDER THE CURTAIN DURING OPERATION.

OPERATOR MUST KEEP CURTAIN IN VIEW AT ALL TIMES DURING OPERATION.

KEY SWITCH OR CONTROL PAD MUST BE MOUNTED IN CLEAR VIEW OF THE CURTAIN.

NEVER LEAVE KEY IN KEY SWITCH UNATTENDED.

NEVER SWING OR SWAY THE CURTAIN.

NEVER HANG FROM SIDES OR BOTTOM BATTEN OF CURTAIN DURING OPERATION OR WHEN CURTAIN IS IN THE LOWERED POSITION.

CAUTION SHOULD BE EXERCISED AT ALL TIMES WHEN OPERATING THE CURTAIN.

ALWAYS FOLLOW PROPER SAFETY RULES.





Operation

It is very important that this divider curtain be operated by AUTHORIZED PERSONNEL ONLY. This curtain has been manufactured with safety in mind, but even the safest equipment can be damaged or cause damage to a person or persons when operated by unauthorized or untrained users.

- Tremendous force is created when this curtain is in motion.
- Only authorized personnel may operate curtain.
- Care must be taken to make sure the curtain and areas above and below the curtain are free and clear of any obstructions.
- Never swing or sway curtain.
- Structure was designed to lift the weight of the curtain only.
- Never hang from sides or bottom of curtain during operation or when curtain is in the lowered position.
- Never attach or place foreign objects on the curtain.

OPERATION OF THE MODEL #4013 WALK DRAW DIVIDER CURTAIN:

- 1. Never operate the curtain if conditions do not allow for a clear and full view of the curtain.
- 2. The curtain may be moved in or out by pulling on the lead rope or pushing the curtain back into the vinyl folding area.
- 3. The curtain can then be contained using the tie strap connecting the Velcro to hold it into place.

This divider curtain has been custom manufactured according to the Owner's/Architect's specifications. When operated and maintained with proper care, this curtain should provide years of safe, trouble-free service.





Maintenance

!!!ALWAYS DISCONNECT POWER SOURCE BEFORE PERFORMING ANY MAINTENANCE CHECK OR OPERATION ON THIS EQUIPMENT!!!

STRUCTURE:

We recommend a yearly inspection (or more frequently depending on usage) of the nuts and bolts, checking for tightness.

CURTAIN VINYL:

The curtain vinyl should be checked on a regular basis for rips or tears. Should the vinyl become ripped or torn, it must be repaired or replaced. Contact your dealer or installation company for information on repair or replacement of the vinyl.

DO NOT operate the curtain if the vinyl is ripped or torn, as it could snag on the carrier assemblies.

The vinyl should be cleaned with a damp cloth. A cloth dampened with water will be adequate for most conditions, however, for heavier dirt or spots, a specific vinyl cleaner can be used.





ATTENTION: MAINTENANCE DEPARTMENT

To confirm that you have received maintenance and warranty information, and to better serve you if you contact us, please fill out the following information and fax or mail to the address below.

Please refer to the facility name and/or the installation company below when you contact Performance Sports Systems, and include it on any correspondence.

I have received the maintenance and warranty information provided by Performance Sports Systems on the Top Roll Curtain.

Facility/School Name:		
Installation Date:	Installed by:	
Maintenance Dept. Contact:		
Signature:	Date:	
Fax to: 1-317-774-9841 Attn: Customer Service		
Or		
Mail to: Performance Sports Systems		
Attn: Customer Service		
9200 E. 146 th St., Ste. A		

Noblesville, IN 46060 800-848-8034



Model 4013 Walk Draw Curtain



Maintenance Check Sheet

Date: Unit:			
Unit Supports / Brackets / Hinges			
-Tubes; dents, stress spots, etc.	OK	Repair	Replace
-Bolts; loose, deformed, etc.	🗌 ОК	🗌 Repair	Replace
-Brackets/Hinges; bent, not rotating, etc.	OK	🗌 Repair	Replace
Winch/Cable/Chains			
-Cable; fraying	OK	Repair	Replace
-Chains; deforming, broken/bent links	🗌 ОК	🗌 Repair	Replace
-Hardware; Quick links	🗌 ОК	Repair	Replace
-Belts; fraying	OK	🗌 Repair	Replace
Curtain Fabric			
-Vinyl; torn, missing eyelets	OK	🗌 Repair	Replace
-Mesh; torn, missing eyelets	OK	Repair	Replace

This Page Intentionally Left Blank









Gared Holdings, LLC

Performance Sports Systems 9200 E. 146th Street Noblesville, IN 46060

> 800-848-8034 www.perfsports.com

Gared Sports 707 North 2nd Street St. Louis, MO 63102

800-325-2682 www.garedsports.com